Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,73

Root's Nurseries

Incorporated

Manheim, R. D. No. 1 LANCASTER COUNTY, PENNA.



CATALOGUE 1928



A PERSONAL MESSAGE

It is with great pleasure that we present our new catalog, and we believe this to be an opportune time for its introduc-

Our Nurseries have reached the reputation we now enjoy through our customers who have made them what they are, and we believe those whom we have had the pleasure of serving in the thirty-three years of our experience in the

nursery business have confidence in our organization.

To those who have never purchased nursery stock from us, may we ask that you convince yourself of the reliability of our statements by giving us a trial order. We wish to be understood that we do not sell the "cheapest" trees and plants, but as good as can be grown in the best of soils, and at low prices when quality and services are considered.

ROOT'S NURSERIES, Inc.

Phone, Landisville 104-R-13


Landscape Service

In this department you are rendered complete service. Not only can we supply you with the plants, but tell you how they should be used to best advantage.


We shall be glad to offer suggestions for arranging the plantings of the new home as well as making additions to existing plantings. If definite plans are required, our landscape department is prepared to serve you in this manner.

Many of our clients prefer to have our men plant the trees d shrubs on their grounds. The cost of this service is and shrubs on their grounds. The cost of this service is nominal, but it is an assurance that the work will be properly done and that the stock will be given the best possible start. When you have us do the planting of ornamentals, any plants that die during the first season will be resupplied at one-half price, or credited on new selection, provided the original account was paid promptly.

original account was paid promptly.



Above picture shows entrance to our Office and Sales Ground.



HOW TO REACH THE NURSERIES

Our Nurseries are conveniently located on Route 72, or the Lancaster-Lebanon Highway. The newly built concrete road, which is the relocation of the Highway, passes through one of the farms on which we grow Nursery Stock.

Whether you are traveling south from Manheim or north from East Petersburg on this road, you cannot miss our signs placed on the side to the east. After you see one of these signs you will be directed at the next intersection over our private road to the office and sales grounds. private road to the office and sales grounds.

If you are not acquainted with the location of our Nurseries, a little study of the above map will help you to get to us with

very little, if any, trouble.

INSTRUCTIONS TO PURCHASERS

How to Figure Your Order. One to four trees or plants of one variety sold at the each rate; 5 to 30 of one variety at the ten rate; 30 to 250 of one variety at the 100 rate; 250 or more

at the 1000 rate.

Orders. Orders should be sent in just as soon as possible after receiving catalog. By placing orders early you are more certain of getting the varieties wanted, as late in the season we are usually sold out of some of the varieties. If ordered early we can reserve the stock until you want it shipped.

Shipping. We have the Pennsylvania and Reading Rail-roads and the Lancaster Trolley system, and can ship in any direction with the probability of prompt arrival at destination. All shipments travel at the cost and risk of the purchaser.

Truck Deliveries. Truck load orders will be delivered free, reasonable distances; long hauls and smaller orders delivered by special arrangement. We are well equipped to give good

truck service.

Guarantee. We guarantee all stock to be strictly first class and true to name and will upon proper proof refund the purchase price, or replace any stock which proves otherwise. It is understood and agreed that we will not be held responsible for any greater sum than the cost of the stock, should any prove untrue. We strive to avoid mistakes and believe that we are as exact as any in the business.

Our nurseries are inspected every year and every shipment will be accompanied by a Certificate of the State Examiner.

Replacements. We guarantee all stock we sell to be strictly first class and TRUE TO NAME, dug and packed properly for shipment; we do not charge a price for a tree that, should it die, we could replace it and then still make a profit. often perishes when it is not properly planted and cultivated; also the severe cold and heavy storms of Winter and droughts of Spring and Summer, which are liable to occur, will sometimes cause the best of stock to perish, which is no fault of ours.

It is impossible for us to guarantee trees and plants to live, as this altogether depends on weather conditions and how stock is planted and cared for after planting. The conditions which prevail after stock leaves our hands are such that it is just as impractical for a Nurseryman to guarantee a tree or plant to live as it would be for your best neighbor to sell you a horse or other live stock and guarantee it to live. We can only guarantee to send you good stock up to grade represented, full of life and true to name. Upon request we will furnish 16-page planting booklet with every order.

Terms Cash, except when expressly agreed otherwise. allow a cash discount of 5 per cent on orders, when cash accompanies order in full and when order is received by us on or

before April 1st.

Substitution. When sold out of a variety of trees or plants we frankly say so, and when you allow us to substitute we will send a variety similar to the one ordered, as good or better; as we know the many varieties, our substitution, if any, will be of advantage. Late in the season we are sometimes sold out of some varieties of stock; thus when sending your order it is to your advantage to say whether we may substitute or not, that we may get the order off promptly, before the season is too far advanced for successful planting. If you do not wish us to exercise this right, please mark your order sheet plainly NO SUBSTITUTION.

The plant names used in this list conform for the most

The plant names used in this list conform, for the most part, with "Standardized Plant Names," adopted by The American Joint Committee on Horticultural Nomenclature.

ROOT'S NURSERIES,

S, INC. R. D. 1, Manheim, Pa. Phone, Landisville 104-R-13.



APPLES

There is a constantly increasing demand for high-quality fruit of all kinds, and in no class of fruit is the demand more noticeable than in Apples. With the proper selection of varieties and intelligent cultivation, there is no reason why the orchardist who makes a specialty of Apples should not have a business yielding him larger returns for the money and labor invested than almost any other horticultural industry. Where Apples are grown solely for home use, a wide range of varieties may be selected; and the list of distinct kinds offered in our catalog afford the choicest varieties in all desirable types; and cover the entire range of ripening seasons.

Apple trees should be set 32 to 40 feet apart.

Fillers. Most commercial orchards are now planted with standard varieties, 40 feet apart each way. Quick, upright growing, early maturing varieties are used as fillers, planting between standards to make 20 ft. apart; fillers to be removed when the standard trees require the room (12 to 18 years). This requires 28 standard and 82 fillers to the acre. We recommend for fillers: Yellow Transparent, Oldenburg, Grimes Golden, McIntosh and Wealthy, or peach trees.

Price of Apples—2 year	Per	Per 100
6 to 7 ft. \$.75 5 to 6 ft65 4 to 5 ft50	\$6.50 5.00 4.00	\$40.00 35.00
3 to 4 ft	3.00	25.00
Price of Apples—1 year Each	Per 10	Pe r 100
4 to 5 ft. \$.40 3 to 4 ft. .35 2 to 3 ft. .25	\$3.00 2.50 2.00	\$25.00 20.00 17.50

SUMMER APPLES

Benoni. Attractive, red, best eating apple of its season.

Early bearer and very productive.

Early Harvest. Medium, pale yellow, tender, juicy.

Oldenburg (Duchess of Oldenburg). Good size, yellow, streaked red, juicy, sub-acid, productive.

Summer Rambo. Very large; flesh yellow, firm, tender,

very juicy, mild sub-acid.

Red Astrachan. Large, beautiful deep crimson. A favor-

ite eating and cooking apple.

Yellow Transparent. Earliest and best; white, tender, juicy, sprightly, sub-acid. Grows rapidly, bears young, and makes a profitable "filler."

AUTUMN APPLES

Gravenstein. Large striped, fine quality, one of the best fall sorts.

Maiden Blush. Large, beautiful, blush cheek.

Smokehouse. An old favorite, originated in Lancaster Co., Pa.

Wealthy. Medium size, smooth, round, deep red; hand-some and of fine quality.

WINTER APPLES

Baldwin. Red, large, fine quality, tree vigorous.

Winter Banana. Size large, golden yellow with bright

crimson red.

Cortland. This is a promising new variety originated at the Horticultural Experimental Farms, Geneva, N. Y. The fruit is medium to large in size, of a bright red color. Flesh is pure white.

Delicious. Red and yellow; fine grained, and quite juicy;

flavor slightly acid, but very good.

Falawater (sometimes called Pound Apple). Large;

yellowish green fruit.

Grimes Golden. No orchard complete without it. Yellow, best quality and productive. For either home or market for this season there is nothing better.

Hubbardston. Large, red, striped, tender, juicy.

Jonathan. Medium; red, extra quality.

McIntosh. Large, deep crimson, highest quality, juicy, sub-acid.

Paradise Winter Sweet. Large; creamy, rosy-cheeked. Rome Beauty. Large, yellow, shaded red; tender, juicy, sub-acid.

Stark. Large, striped light and red, juicy, mild, sub-acid.

An early and abundant bearer, good keeper.

Stayman Winesap. Of the several important descendants of Winesap, this variety is leaping into prominence as a splendid sort for the home or commercial orchard. The tree is a sturdy grower and a very heavy producer. It is adapted to a wide range of soils and climates, thriving almost wherever planted. It runs to large sizes. The fruit is of deep red color, with firm flesh, tender, juicy, and the same rich flavor of the parent. We strongly recommend this variety for the home or commercial orchard.

York Imperial. Medium to large; yellow, shaded red;

firm, juicy, sub-acid.

CRAB APPLES

Hyslop. Large; deep crimson; one of the most beautiful;

very popular.

Transcendent. For many years the most popular crab apple. Fruit about an inch in diameter, yellow, with red cheek.

Members American Association of Nurserymen, Eastern Nurserymen's Association, Pennsylvania Nurserymen's Association, etc.



Block of our Peach Trees for Spring Sales.

PEACHES

We are offering only a limited number of varieties, ones that you can depend on giving you a good crop of fruit. We do not think it worth while to propagate a large number of varieties, when a few of the best will make more money for our customers. The peach crop is quite sure if you give your trees proper attention.

Price of Peaches

	Per	Per
Each	10	100
5 to 7 ft\$.60	\$5.00	\$35.00
$4\frac{1}{2}$ to 6 ft	4.00	25.00
4 to 5 ft	3.00	20.00
3 to 4 ft	2.00	15.00

Arranged in Order of Ripening

The very best extra early commercial sort. Greensboro. Hardy and productive, fruit large and tree healthy. white with crimson cheek.

Carman. White with red blush. Carman is extra hardy, bears every year, and when it fails all else fails too. Tree a

very robust grower and produces heavily.

Hiley (Early Belle). The earliest commercial white free-stone Peach. It resembles Belle of Georgia, but in quality is superior to most of its white-fleshed competitors. The pretty red cheek and good shipping qualities make it very popular for early market.

Champion. Large variety, creamy white, red cheek, sweet,

rich and juicy. Hardy and productive.

Belle (Belle of Georgia). Very large; skin white with red cheek; flesh white, firm and of excellent flavor. Tree a rapid grower, very prolific.

Capt. Ede. A handsome yellow peach of excellent quality;

hardy in bud and blossom.

J. H. Hale. Probably no new peach has ever been introduced claiming to be so much superior in all ways. It averages one-third to one-half larger than Elberta, ripens about five days earlier and is much superior in flavor. Color a beautiful golden-yellow, with deep carmine blush.

Elberta. Large, yellow, with red cheek; flesh yellow, firm, juicy, of high quality. Exceedingly prolific, sure bearer and hardy. The leading market variety.

Late Crawford. A superb, large, yellow peach.

Mathews (Dr. Funk's strain). Very similar to Elberta but of better quality.

Old Mixon Free. Large, pale yellow, deep red cheek, white flesh, tender, rich, good.

Roberta (Late Elberta). Ripens 10 days to 2 weeks later than Elberta which it resembles very closely.

Stump. Large, white, bright red cheek.

Salway. A late yellow variety. Latter part of September. Iron Mountain. Ripens September 15 to October 1. Fruit is of large size; color, white.

APRICOTS

	Each	Per 10
4 to 6 ft	.\$.85	\$7.50
3 to 4 ft	75	6.00

Early Golden. Small, pale orange, juicy and sweet.

Dallas. Fruit large, round, early, deep yellow with a fine blush; flesh yellow, firm, juicy and excellent. Tree hardy, a good grower.

Royal. Large, yellow, juicy, rich and delicious; a very fine variety.

CHERRIES

Each	Per 10
5 to 7 ft\$.85	\$7.50
4 to 6 ft	6.50
3 to 4 ft	5.50

SWEET CHERRIES

Bing. Very large, dark brown—almost black; flesh firm, sweet, rich and delicious. One of the most profitable sorts. July.

Black Tartarian. Very large, black, juicy. Last of June. Gov. Wood. Large, light red, juicy, rich, delicious. Tree healthy and productive. June.

Napoleon. Large, pale yellow or red; firm, juicy, sweet and productive. July.

Schmidt. Immense size, deep black; flesh dark, tender, very juicy, fine flavor; productive. July.

Windsor. Fruit large, liver-colored, distinct; flesh remarkably firm and of fine quality. Tree hardy and prolific. A valuable late variety. July.

Yellow Spanish. Large, yellow and red. June.

SOUR CHERRIES

Early Richmond. Medium, dark red, melting, juicy, sprightly, rich acid.

English Morello. Fair size, blackish red, rich acid.

Montmorency. Large, deep cherry red, very tender and juicy. It is the best variety for home and market. It ripens at the close of the Early Richmond season, and is of better size than that variety; more meaty and of richer flavor.

PEARS	Each	Per 10
5 to 7 ft		
4 to 6 ft		
Dwarf Pear 4 to 5 ft	75	6.50

Season last of August to September 15th. Good strong grower, flesh is white, fine grained, luscious, large and buttery, has a rich melting flavor and very sweet.

Clapp's Favorite. Summer. Fruit large, yellow lemon color, spotted with brown dots; flesh fine, rich and sweet.

A very good one.

Duchesse. Very large, buttery, rich, juicy, excellent. It succeeds to perfection and is the most popular market variety

as a dwarf. Oct. and Nov.

Kieffer. Its large size, handsome appearance, and remarkable keeping and shipping qualities make it very profitable for market. Oct. and Nov.

for market. Oct. and Nov.

Seckel. Small; skin rich yellowish brown when fully ripe, with deep brownish red cheek; flesh very fine-grained, sweet,

exceedingly juicy, melting, buttery; one of the richest and highest flavored pears known. Sept. and Oct.

Sheldon. A large, round, russet and red Pear of very fine quality; melting, rich, and delicious. Tree vigorous, erect, and handsome; bears well and should be more largely planted.

October.

	PLUMS	Each	Per 10
5 to 7 ft		\$.85	\$7.50
4 to 6 ft		. 75	6.50
3 to 4 ft		60	5.00

Abundance. One of the oldest and best varieties; hardy, productive. Fruit large, lemon yellow, with heavy bloom;

good quality. Aug.

Burbank. Most profitable among growers for market. Ripens 10 days after Abundance. Tree hardy.

October Purple. A strong, vigorous grower, hardy, productive, of good quality; a large, round, late purple plum,

especially recommended for late market.

Red June. One of the vigorous, upright growers; ductive; fair size, vermilion red; pleasant quality. Ripens

a week before Abundance. Aug.

Climax. One of the best of the large, early sweet Plums, ripening ahead of other varieties, which makes it a very

valuable market sort. July.

Gold. Large, oval, bright yellow; rich, juicy, fine quality. A good grower.

Bradshaw. A very large and fine early plum, dark violet red, juicy and good. Very productive; valuable for market. The tree is very hardy and vigorous. Middle of August.

German Prune. Large, dark purple, sweet, good. One of the most popular for canning, because of its sweetness. September

Italian Prune. Good size, purple, juicy, delicious, fine for

drying. September

Imperial Gage. Large, pale green, juicy, sweet, rich, and excellent. August.

Satsuma (Blood). Large, globular, with sharp point. Color, purple and red with blue bloom; flesh firm, juicy, dark red or blood color, fine quality; pit very small. Hardy and vigorous grower. August.

QUINCES		Per 10
4 to 5 ft	\$.85	\$7.50
3 to 4 ft		

Orange. Fruit large, bright yellow, of excellent quality. Champion. A prolific and constant bearer of oval fruit, averaging larger than Orange and ripening later. Long keeper.

Meech Prolifit. A vigorous grower and ir mensely productive of large, orange-yellow fruit of deligent flavor and fine cooking quality.

SMALL FRUITS

GRAPES (2 years)

GRAPES (2 years)		
Brighton. Red, high quality, large \$.35 Concord. The leading black variety .25 Moore's Early. Good, early, black .25 Niagara. The standard white grape .25 Worden. Earlier than Concord, sweeter .25 Caco. New, red .85	Per 10 \$3.00 2.00 2.00 2.00 2.00 7.50	Per 100 \$25.00 12.00 15.00 15.00
ASPARAGUS		
Per 10 Palmetto. Old reliable, 1 year	Per 100 1 1.00 1.50 1.00 1.50	Per 1000 8.00 12.00 8.00 12.00
STRAWBERRIES		,
	Per 100 1 1.25 1.25 1.25 1.50	7.00 7.00 7.00 7.00 8.00
RASPBERRIES		
Each	Per 10 75 .75	Per 100 4.00 4.00
BLACKBERRIES		
	Per 10 .75 .75	Per 100 6.00 6.00
CURRANTS (2 years)		
Each Cherry. Large berries, short bunch25 Fays. Old leading market variety25 Wilder. Better than Fays25 White Grape. Large, yellowish white25	Per 10 2.00 2.00 2.00 2.00	Per 100 15.00 15.00 12.00 15.00
GOOSEBERRIES (2 years)		
, •	Per 10 2.00	Per 100 15.00
Houghton. Medium, pale red, sweet25	2.00	15.00
RHUBARB		
Each	Per 10 1.50	Per 100 10.00



SHADE AND ORNAMENTAL TREES

SHADE AND ORNAMENTAL TREES
Scientific Name Common Name
ACER dasycarpum, 60'-80' Silver Maple
Quick growing, graceful shade tree; leaves silvery under-
neath. Each Per 10
8 to 10 ft
10 to 12 ft
12 to 14 ft 5.00
—wieri, 60'-80' Wier Cutleaf Maple Graceful, drooping form; very desirable.
8 to 10 ft
10 to 12 ft. 4.00
10 to 12 ft
The most popular street tree; retains its green leaves until
late autumn.
6 to 8 ft
8 to 10 ft
12 to 14 ft 10.00
12 to 14 ft
Probably the best large growing purple leaf tree. Useful as
lawn specimen.
6 to 8 ft
—saccharum, 50′–75′ Sugar Maple
Similar to Norway Maple, taller, growing straight, spread-
ing, symmetrical. 6 to 8 ft
8 to 10 ft 2.00 17.30 8 to 10 ft 3.00 27.50
10 to 12 ft. 5.00
—palmatum atropurpureum, 6′-8′ Bloodleaf Japanese Maple
A good dwarf tree with rich purple-red leaves all summer.
Best in sun.
3 inch pots, 1 yr. grafts
12 to 15 in
More dwarf than the above with finely cut purple-red leaves,
giving the plant a very graceful appearance. Good for rock
work.
3 inch pots, 1 yr. grafts 3.00
12 to 15 in
12 to 15 in
Dwarf golden toliage tree. Desirable for color effect in
planting. 3 inch pots, 1 yr. grafts
12 to 15 in 6.00
12 to 15 in
Known by its white bark.
4 to 5 ft
5 to 6 ft
6 to 8 ft
——laciniata, 30'–40' Cutleaf Weeping Birch Graceful tree for lawn planting. Very graceful.
3 to 4 ft
4 to 5 ft
5 to 6 ft
6 to 8 ft
8 to 10 ft
CATALPA bungei, 10'-15' Umbrella Catalpa
Useful in formal planting. Light Heads 5 to 6 ft
Light Heads 5 to 6 ft. 1.75 15.00 Medium Heads 5 to 6 ft. 2.50 22.50
Large Heads 5 to 6 ft
—speciosa, 30'–35' Western Catalpa
6 to 8 ft

ROOT'S NURSERIES, INC.

Scientific Name CERCIS canadensis, 12'-15' Rosy-Pink; April; very effective when wood; good foliage. Also called Judas	Common Name American Redbud planted with Dog- Tree
2 to 3 ft	Each Per 1080 7.50
CORNUS florida, 15'-25' White I Among the best of the spring flowering 3 to 4 ft	Flowering Dogwood small trees 1.00 2.00
White flowers in June. Conspicuous fruits, attractive to birds.	
18 to 24 in 2 to 3 ft —-rubra, 15'-20' Red I The pink flowers are more persistent tha	1.50 12.00
18 to 24 in	3.00
4 to 5 ft	5'
Paul	s Scarlet Hawthorn
Double scarlet flowers. 2 to 3 ft	
3 to 4 ft	2.50 3.00
FAGUS americana (ferruginea), 75'-100 One of our best native trees; distinctive 3 to 4 ft	ve silver-gray bark.
FRAXINUS americana, 70'-80' · Fairly rapid grower: assumes pleasing	White Ash
autumn; good in meist soils. 8 to 10 ft. 10 to 12 ft.	2.50 22.00
GINKGO biloba (Salisburia), 50'-75' Picturesque, interesting, quite distinct maidenhair fern; immune from insects.	leaves shaped like
8 to 10 ft	4.00
A quick grower; the yellow tulip-like fl in June.	
6 to 8 ft	3.00
MAGNOLIA soulangeana, 15'-18' Large purplish-pink and white flowers in planted in early spring. 5'' pots	May. Best trans-
MALUS ioensis plena, 10'-15' Large double pure pink flowers with no vigorous grower.	Bechtel Crab
2 to 3 ft	1.00 1.50
MORUS alba pendula, 8'-10' Tea's The most popular small "weeping" tre Medium grade	
Large heads	4.00
PLATANUS orientalis, 70'-80' Eu A good tree for park and street use; growithstands smoky city conditions.	uropean Plane Tree ows rather quickly;
8 to 10 ft	3.50 4.50

MANHEIM, PENNSYLVANIA.


Scientific Name Common Name
POPULUS nigra italica, 60'–80' Common Name Lombardy Poplar
Tall spire-like character; valued for landscape work and
screens.
Each Per 10
8 to 10 ft
10 to 12 ft
PRUNUS cerasifera pissardi, 12'-15' Purpleleaf Plum
10 to 12 ft
every year for best color effect.
3 to 4 ft
4 to 5 ft
5 to 6 ft 2.00
5 to 6 ft
A west beautiful and sweeful two seeping Japan Cherry
A most beautiful and graceful tree, covered with pink bios-
soms in early spring.
3 to 4 ft. stems, 1 yr. heads 4.00
QUERCUS palustris, 75'-90' Pin Oak
Takes most kindly to cultivation; prefers moist soil, but is
very adaptable. Particularly fitting as a street tree; good
autumn effects.
8 to 10 ft 4.00
10 to 12 ft
—rubra, 75′–90′ Red Oak
Comparatively quick growth; rich autumn coloring in
greens and reds.
8 to 10 ft 4.00
9 to 11 ft 6.00
SALIX babylonica, 50'-60' Babylon Weeping Willow
Particularly appropriate for waterside planting with its long
pendulous branches.
6 to 8 ft
8 to 10 ft
—caprea (hush form) 15'-20' Pussy Willow
—caprea (bush form), 15'–20' Pussy Willow Very desirable for spring effects. Will do well on dry as well
as wet places
4 to 5 ft
SORRUS aucunaria 25'-30' European Mountain Ash
A valuable tree on a small lawn: the searlet harries are quite
striking.
5 to 6 ft
TILIA americana 75/ 00/ American Lindon
5 to 6 ft
Grows rather quickly, forming an open head. Tras fragram
yellow flowers.
8 to 10 ft
10 to 12 ft
—platyphyllos, 60'-75' Bigleaf European Linden 8 to 10 ft
8 to 10 it 3.50
10 to 12 ft
-vulgaris, 60'-70' European Small Leaf Linden
In late June the fragrant flowers are noticeable; grows sym-
metrical and compact.
8 to 10 ft
10 to 12 ft
ULMUS americana, 80'-100' American Elm
ULMUS americana, 80'-100' American Elm Stateliness and dignity are here exemplified. Fairly rapid in growth, this typical American tree soon assumes regal
in growth, this typical American tree soon assumes regal
proportions and commands respect of all who look upon it.
6 to 8 ft
8 to 10 ft
10 to 12 ft
— moline, 80′–100′ Moline Elm
A remarkable new variety of remarkably strong growth and
large handsome deep grain foliage. Very desirable.
6 to 8 ft 2.50
8 to 10 ft 3.00

ORNAMENTAL SHRUBS

ORNAMENTAL SHR	CDS
Scientific Name	Common Name
ACANTHOPANAX pentaphyllum, 7'-8'	Five Leaf Aralia
Graceful, arching habit; splendid for banks	; very adaptable;
good foliage for smoky exposures.	D 40 D 400
2 to 3 ft	Per 10 Per 100
2 to 3 it	\$5.00
3 to 4 ft	10.00
AMYGDALUS nana, 5'-6' F Flowers double, May; very showy; the	ro are Pink and
White varieties.	ie ale I lik aliu
18 to 24 in	7.50
2 to 3 ft	
AZALEA kaempferi, 4'-5'	Torch Azalea
Warm brick-red flowers, May.	
12 to 15 in	
-mollis, 4'-6'	Chinese Azalea
Large showy flowers in shades of orange	and red. May-
June. Large hairy leaves. Likes sun.	
12 to 15 in	
15 to 18 in	- 1 4 1
—yodogawa, 3'-4' Double pinkish-lavender flowers, May. V	odogawa Azalea
	ery nardy and of
exceptional merit. 12 to 15 in	
15 to 18 in 3.00	
15 to 18 in	Holly Barberry
Holly-like leaves, persisting until new	foliage appears:
flowers yellow. Semi-evergreen.	ronage appears,
15 to 18 in	
15 to 18 in	panese Barberry
A splendid low hedge plant, or for massing;	brilliant autumn
coloring; scarlet berries.	
12 to 15 in	
	1.50 10.00
15 to 18 in	2.00 15.00
18 to 24 in	2.00 15.00 2.50 20.00
15 to 18 in	2.00 15.00 2.50 20.00 apanese Barberry
18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and 6	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and 6	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and 6	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and clikes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and clikes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and clikes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and clikes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and of likes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and of likes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and of likes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and clikes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and clikes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and of likes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50 6.00
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and of likes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50 6.00 reet Pepper Bush
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and olikes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50 6.00 reet Pepper Bush
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and olikes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50 6.00 reet Pepper Bush
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and of likes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 apanese Barberry Butterfly Bush leep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50 6.00 reet Pepper Bush Prefers moist,
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and of likes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 npanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50 6.00 reet Pepper Bush Prefers moist, 6.00 7.50 d-Osier Dogwood
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and olikes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 npanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50 6.00 reet Pepper Bush Prefers moist, 6.00 7.50 d-Osier Dogwood
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and olikes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 npanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50 6.00 reet Pepper Bush Prefers moist, 6.00 7.50 d-Osier Dogwood ts. Does well in
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and of likes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 npanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50 6.00 reet Pepper Bush Prefers moist, 6.00 7.50 d-Osier Dogwood ts. Does well in 4.00
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and of likes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 npanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50 6.00 reet Pepper Bush Prefers moist, 6.00 7.50 d-Osier Dogwood ts. Does well in 4.00 n Bark Dogwood
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and olikes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 npanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50 6.00 reet Pepper Bush Prefers moist, 6.00 7.50 d-Osier Dogwood ts. Does well in 4.00 n Bark Dogwood effects.
BUDDLEIA davidi magnifica, 5'-6' Very effective with gray-green foliage and of likes sun. June, September. 18 to 24 in	2.00 15.00 2.50 20.00 npanese Barberry Butterfly Bush deep lilac flowers; 3.00 4.00 Sweetshrub 6.00 7.50 Buttonbush uly-Sept. Good 4.50 6.00 reet Pepper Bush Prefers moist, 6.00 7.50 d-Osier Dogwood ts. Does well in 4.00 n Bark Dogwood

MANHEIM, PENNSYLVANIA.

Scientific Name	Common Name
CYDONIA japonica, 4'-5'	Flowering Quince
Scarlet flowers in April, May.	
	ch Per 10 Per 100
18 to 24 in	.60 5.00
2 to 3 ft	.75 6.00
DEUTZIA gracilis, 3'	Slender Deutzia
	Jseful " facing '' shrub.
12 to 15 in	.50 4.50
15 to 18 in	.75 6.00
—lemoinei, 4′–5′	Lemoine Deutzia
Large white flowers, June, graceful.	
15 to 18 in	.50 4.50
18 to 24 in	.75 6.00
—scabra crenata fl. pl., 6'-8'	Double Pink Deutzia
Pink, slightly fragrant, June.	
2 to 3 ft	.60 5.00
3 to 4 ft	.75 6.00
— pride of Rochester, 9'-10'	Large Flwd. Deutzia
Vigorous, large flower tinged pink, Ju	ine.
3 to 4 ft	.60 5.00
4 to 5 ft	.75 6.00
EUONYMUS alatus, 9'-10'	Winged Euonymus
Interesting corky bark, warm crims	son autumn coloring.
Makes fine specimen shrub.	9
18 to 24 in	1.00 9.00
2 to 3 ft	1.50 12.50




Shrubs in Display Ground-Canna Bed in Center.

EXOCHORDA grandiflora, 6'-9' Pearlbush
Dazzling white flowers, May. Is improved by pruning.
2 to 3 ft
3 to 4 ft
FORSYTHIA suspensa fortunei, 7'-8' Fortune Golden Bell
Good habit, arching branches, vigorous grower.
2 to 3 ft
3 to 4 ft
HIBISCUS syriacus (Althea), 10'-12' Rose of Sharon
Rather formal in outline, flowering in August and Septem-
ber. Pink, purple, red, and white, single and double.
2 to 3 ft
HYDRANGEA arborescens grandiflora, 4'-5'
Snowhill Hydrangea
Large double white flower panicles, very showy. August.
18 to 24 in
2 to 3 ft
12

Scientific Name —paniculata grandiflora, 8'-9' Very showy, blooming in Sept. Common Name Peegee Hydrangea
Each Per 10 Per 100 18 to 24 in
3 to 4 ft
Large waxy yellow flowers. July-August. Dainty, half-herbaceous, splendid mass plant.
LIGUSTRUM ovalifolium aureum, 8'-9' Golden Privet 12 to 15 in
15 to 18 in
2 to 3 ft
Tartarian Honeysuckle Flowers and fruit freely produced. A most adaptable shrub. 2 to 3 ft
PHILADELPHUS coronarius, 9'-10' Sweet Mockorange White fragrant flowers profusely borne in May-June. 2 to 3 ft
3 to 4 ft
15 to 18 in
—virginalis, 7'-8' Virginal Mockorange Beautiful semi-double flowers produced intermittently all summer.
2 to 3 ft. 1.00 9.00 PHYSOCARPUS opulifolius, 9'-10' Ninebark Creamy white, June. Vigorous. Good for shade. 2 to 3 ft. .60 5.00
RHODOTYPOS kerrioides, 4'-5' White Kerria Fresh green foliage, pure white flowers, May-June. Shining black bead-like berries all winter. Also called Jetbead. 2 to 3 ft 60 5.00
RHUS canadensis (aromatica), 4'-5' Fragrant Sumac Clusters of small yellow flowers, April—May. Most attractive in June when covered with coral-red fruits. Withstands drought. Aromatic foliage.
2 to 3 ft
2 to 3 ft
Has conspicuous yellow foliage. 2 to 3 ft
SPIRAEA bumalda, anthony waterer, 3' Anthony Waterer Spiraea Deep rose pink; very free flowering all summer.
12 to 15 in
—prunifolia, 7'-8' . Bridalwreath White, May. Free flowering; handsome dark green shining
foliage, turning orange in autumn. 2 to 3 ft

Scientific Name		Commo	n Name
-thunbergi, 4'-5'			Spiraea
Slender, arching branches clothed wit April–May. Small, feathery, light-gro	h pure	e-white	flowers,
		Per 10	Per 100
18 to 24 in	.60 .75	5.00 6.00	
—van houttei, 8'-9' White, May-June. Graceful habit. E ing and very adaptable.	Vai Extren	nhoutte nely fre	Spiraea e flower-
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.40 .50 .60	3.00 4.00 5.00	
SYMPHORICARPOS racemosus, 5'-6' Conspicuous, white berries, attractive f able, but best in half shady moist loca		. Mos	owberry st adapt-
2 to 3 ft		5.00 6.00	
—vulgaris, 4'-5' Coral red berries persisting throughorshade, and bank planting.	ut wir	Conter. (oralberry Good for
2 to 3 ft	.50 .75	$4.50 \\ 6.00$	
SYRINGA			Lilac
FRENCH LILACS—NAMED	VARI	ETIES	
These are all grown from cuttings and a which is the best way Lilacs can be gro sucker. These named Lilacs generally height, depending on the variety and loc Charles the Tenth, reddish purple sing Ludwig Spaeth, single reddish purple Marie Le Graye, single white Michel Buchner, double lilac Mme. Lemoine, double white President Grevy, double blue Rubra de Marly, single light blue Wm. Robinson, double violet pink	own, a grow ality.	their ov is they from 6	vn roots, will not 5'-12' in
2 to 3 ft		7.50 10.00	
TAMARIX africana, 12'-14' Pink, April-May. Has feathery, gray effective near water.	-greer	ı foliage	Tamarix e. Very
3 to 4 ft			
VIBURNUM americanum, 8'-9' Ame Bright scarlet berries in large bunches, 18 to 24 in	, persi .75	sting al 6.00	errybush Il winter.
—cassinoides, 5'-6' White, June-July. Berries pink, char Rich autumn coloring; splendid fo water.	r mas	g to da	ithe-Rod irk blue. ind near
2 to 3 ft	1.00	9.00	
—dentatum, 10'-12' White, May-June. Berries blue-bla purple and red; thrives in wet soil.	ck, a	Arro utumn	ow-Wood coloring
2 to 3 ft	.75	6.00	

—opulus, 9'-10' Berries resemble the cranberry vall winter.	ery much, cli	J
18 to 24 in		6.00 9.00
—tomentosum plicatum, 7'-8' Showy white flowers in balls, Jur purple autumn coloring.	Japa 1e. Handsor	nese Snowball ne foliage with
18 to 24 in		7.50 9.00
WEIGELA amabilis, 7'-8' Light pink.		Rose Weigela
2 to 3 ft		6.00
—candida, 7′–8′ Large, pure white flowers.	,	White Weigela
2 to 3 ft		6.00
—Eva Rathke, 4'-5' Carmine, June-August. Most f	Red Flo [,] Horiferous.	wered Weigela
18 to 24 in		
—nana variegata, 4'-5' Pale pink flower; variegated growth.	Variegated leaves; dw	l Leaf Weigela varf, compact
18 to 24 in		
—rosea, 7'-8' Showy, pink flowers freely progrower.	roduced. Ju	Pink Weigela ne. Vigorous
2 to 3 ft		5.00 6.00




HOW TO PLANT THEM SO THEY WILL LIVE

Nine simple rules—given in detail—found in a sixteen-page booklet which we will furnish free upon request. Get your plants at once. Open them immediately. Keep them where they cannot dry out until planted.

Prepare the soil thoroughly before planting. Do not allow the roots of the plants to dry out before planting. Pack the soil firmly around the roots when planting.

Mulch after planting. Keep the soil moist until after growth starts. Give shade and support if necessary.



One of our blocks of two-year California Privet.

HEDGE PLANTS

Scientific Name	Common Name
BERBERIS thunbergii, 4'-5'	Japanese Barberry
A splendid low hedge plant, or for	massing; brilliant
autumn coloring; scarlet berries.	
	Per 10 Per 100
12 to 15 in	\$1.50 \$10.00
15 to 18 in	2.00 15.00

2.50

20.00

LIGUSTRUM ovalifolium, 9'-10'. California Privet California Privet. The most popular hedge plant on account of its beauty, adaptability, and low cost. Did you ever realize what an admirable and luxuriant privet hedge you could secure at a very small cost, and how much it would add to the value of your property? To find the exact

number wanted, measure the space where it is to be planted and multiply the number of feet by two.

They should be planted 3 inches deeper than they stood in the nursery row. Set the plants 6 inches apart in the row. Dip the roots in water before planting. After plants are set, cut them down to 4 inches from the surface of the ground. This will cause a thick new growth to start and is very essential for a beautiful hedge.

When cutting, each time allow about 1 to 2 inches above where it was cut before until you get the height desired.

	Per	Per	Per
		100	
6 to 12 in., 1 yr	\$.20	\$1.50	\$10.00
12 to 18 in., 1 yr	25	2.00	15.00
18 to 24 in., 1 yr	.30	2.50	20.00

Two-year—cut back and well branched. Will give immediate effect.

12 to 18 in., 2 yr	.35	3.00	25.00
18 to 24 in., 2 yr			
2 to 3 ft., 2 yr	.45	4.00	35.00

Many of our Ornamental Shrubs and Evergreens make splendid Hedges, Screens and Windbreaks.

EVERGREENS

These Evergreens have been transplanted frequently. Each time they have been given ample room for proper growth. Every one is sheared into a symmetrical shape. Freshly dug in the nursery for your individual order. Balled and bur-

lapped.

All of the following varieties may be trimmed and used for Foundation planting, etc., with the exception of the Abies or Firs, the Piceas or Spruces, and the Pinus or Pines. (Except Mugho Pine which is dwarf.) These varieties will grow large and should be used for specimens, screens or for massing where there is plenty of room for them to develop.

Scientific Name
ABIES concolor, 70'-80'
Grows quickly and forms symmetrical, beautiful specimen.
Large gray-green needles.

Large, gray-green needles.
Each Per 10
18 to 24 in
2 to 2½ ft 5.00
2½ to 3 ft
2½ to 3 ft
—nordmanniana, 60'-70' Nordmann Fir Grows slowly when young. Flat leaves are rich, shining
green above silvery white beneath
18 to 24 in 5.00
18 to 24 in
A very hardy bushy and pyramidal growing variety Bears
small berries of violet brown color when ripe.
3 to 4 ft 7 00
3 to 4 ft
Crown repidly forming tall parrow column of gray green
foliare Caire 111- Affect Vome works in account of gray-green
planting
5 to 41t
— — pfitzeriana, 5'-6' Pfitzer Juniper Broad, bushy habit. Gray-green foliage, giving feathery appearance. A most adaptable hardy evergreen; highly
Broad, bushy habit. Gray-green foliage, giving feathery
appearance. A most adaptable hardy evergreen; highly
recommended.
12 to 18 in
18 to 24 in
2 to 3 ft 5.00
3 to 4 ft 8.00
-communis aurea, 1'-1½' Golden Common Juniper Low spreading habit. Golden foliage, particularly bright
Low spreading habit. Golden toliage, particularly bright
in spring
12 to 15 in
15 to 18 in
——canadensis, 2½'-3' Canada Juniper Forms a low vase-shaped bush. Leaves dark green above,
Forms a low vase-shaped bush. Leaves dark green above,
bluish underneath.
18 to 24 in 3.00
bluish underneath. 18 to 24 in
A narrow, compact column.
12 to 15 in
—excelsa stricta, 4'-5' Spiny Greek Juniper Compact, well-shaped pyramid. Foliage gray-green. Most
Compact, well-shaped pyramid. Foliage gray-green, Most
useful for formal effects.
10 to 12 in
12 to 15 in
15 to 18 in
18 to 24 in
—horizontalis (sabina prostrata), 1'-1½' Creeping Juniper
Branches trail along ground. Adapted to rock-work and
ground covering.
18 to 24 in
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 4.00

MANHEIM, PENNSYLVANIA.

Scientific Name	Common Name
——douglasi, 1'-1½' Long branches trailing along ground.	Waukegan Juniper
Long branches training along ground.	Steery-blue foliage.
A splendid ground cover; also effe Distinct purple hue in winter.	ctive among rock.
Distinct purple rate in writter.	Each Per 10
15 to 18 in	
18 to 24 in	
—sabina, 6'-7'	Savin Juniper
Dense, dark green foliage. Spreading	branches, forming
irregular vase-shaped bush.	_
10 to 12 in	
12 to 15 in	
15 to 18 in	
-virginiana glauca, 15'-20'	Silver Redcedar
Bluish-gray foliage. Distinct.	6.00
2 to 3 ft	
PICEA excelsa, 80′–100′ Has dark green foliage and grows rapid	Norway Spruce
windbreak, and also lends itself well to	trimmed hodges
12 to 18 in	
18 to 24 in	
2 to 2½ ft	
$2\frac{1}{2}$ to $\bar{3}$ ft	
3 to 4 ft	5.00
—pungens glauca, 60′–80′ Blanches in distinct whorls, forming	ue Colorado Spruce
	g handsome lawn
specimen.	4.00
12 to 18 in	
12 to 15 in	Koster Blue Spruce
2 to 2½ ft	20.00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	25.00
PINUS montana mughus, $2\frac{1}{2}'-3'$	Mugho Pine
Forms a round-topped clump. Useful for	Mugho Pine
Forms a round-topped clump. Useful foundation work.	Mugho Pine or rock planting and
Forms a round-topped clump. Useful foundation work. 12 to 18 in	Mugho Pine or rock planting and 3.00
Forms a round-topped clump. Useful foundation work. 12 to 18 in. 15 to 18 in.	Mugho Pine or rock planting and 3.00 4.00
Forms a round-topped clump. Useful foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft.	Mugho Pine or rock planting and 3.00 4.00 12.00
Forms a round-topped clump. Useful for foundation work. 12 to 18 in	Mugho Pine or rock planting and 3.00 4.00 12.00 Austrian Pine
Forms a round-topped clump. Useful for foundation work. 12 to 18 in	Mugho Pine or rock planting and 3.00 4.00 12.00 Austrian Pine
Forms a round-topped clump. Useful foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background.	Mugho Pine or rock planting and 3.00 4.00 12.00 Austrian Pine grower. Good for
Forms a round-topped clump. Useful for foundation work. 12 to 18 in	Mugho Pine or rock planting and 3.00 4.00 12.00 Austrian Pine grower. Good for 2.00 3.00
Forms a round-topped clump. Useful for foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ to 3 ft. 2½ to 3 ft.	Mugho Pine or rock planting and 3.00 4.00 12.00 Austrian Pine grower. Good for 2.00 3.00 4.00
Forms a round-topped clump. Useful for foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft.	Mugho Pine or rock planting and
Forms a round-topped clump. Useful for foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. —strobus, 80'-100'	Mugho Pine or rock planting and
Forms a round-topped clump. Useful foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60′–70′ Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. —strobus, 80′–100′ Probably our most adaptable and	Mugho Pine or rock planting and
Forms a round-topped clump. Useful for foundation work. 12 to 18 in	Mugho Pine or rock planting and
Forms a round-topped clump. Useful for foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. —strobus, 80'-100' Probably our most adaptable and picturesque when old. 18 to 24 in.	Mugho Pine or rock planting and
Forms a round-topped clump. Useful for foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. —strobus, 80'-100' Probably our most adaptable and picturesque when old. 18 to 24 in. —svlvestris. 25'-30'	Mugho Pine or rock planting and
Forms a round-topped clump. Useful for foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. —strobus, 80'-100' Probably our most adaptable and picturesque when old. 18 to 24 in. —sylvestris, 25'-30' A rapid-growing, handsome tree, espe	Mugho Pine or rock planting and
Forms a round-topped clump. Useful for foundation work. 12 to 18 in	Mugho Pine or rock planting and
Forms a round-topped clump. Useful for foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —strobus, 80'-100' Probably our most adaptable and picturesque when old. 18 to 24 in. —sylvestris, 25'-30' A rapid-growing, handsome tree, espe Good for windbreaks. 18 to 24 in. 2 to 2½ ft.	Mugho Pine or rock planting and
Forms a round-topped clump. Useful for foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. —strobus, 80'-100' Probably our most adaptable and picturesque when old. 18 to 24 in. —sylvestris, 25'-30' A rapid-growing, handsome tree, espe Good for windbreaks. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	Mugho Pine or rock planting and
Forms a round-topped clump. Useful for foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —strobus, 80'-100' Probably our most adaptable and picturesque when old. 18 to 24 in. —sylvestris, 25'-30' A rapid-growing, handsome tree, espe Good for windbreaks. 18 to 24 in. 2 to 2½ ft.	Mugho Pine or rock planting and
Forms a round-topped clump. Useful for foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. —strobus, 80'-100' Probably our most adaptable and picturesque when old. 18 to 24 in. —sylvestris, 25'-30' A rapid-growing, handsome tree, espe Good for windbreaks. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 5 to 6 ft.	Mugho Pine or rock planting and
Forms a round-topped clump. Useful for foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —strobus, 80'-100' Probably our most adaptable and picturesque when old. 18 to 24 in. —sylvestris, 25'-30' A rapid-growing, handsome tree, esperatory of the control of the contro	Mugho Pine or rock planting and
Forms a round-topped clump. Useful for foundation work. 12 to 18 in. 15 to 18 in. 2½ to 3 ft. —nigra, 60'-70' Rich, dark green. Vigorous, dense background. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. —strobus, 80'-100' Probably our most adaptable and picturesque when old. 18 to 24 in. —sylvestris, 25'-30' A rapid-growing, handsome tree, espe Good for windbreaks. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	Mugho Pine or rock planting and



Some of our three-year Evergreens, seen from Display Ground.


Bonic of our three-year Byergreens, seen from Display Ground.
Scientific Name Common Name
RETINOSPORA obtusa compacta, $2\frac{1}{2}$ '-4' Football Cypress
Almost spherical in shape. Good green throughout winter.
Very useful in foundation or formal work. Each Per 10
15 to 18 in
18 to 24 in
—pisifera, 25′–35′ Sawara Cypress
Ouick grower. Loosely pyramidal.
—pisifera, 25'—35' Sawara Cypress Quick grower. Loosely pyramidal. 15 to 18 in
15 to 18 in
Foliago bright vollow, opposibilly in apring
12 +- 10:-
12 to 18 in
——niirera, 15'–20' I hread Branched Cypress
Has long, stringy, drooping branches and bright green
foliage. Graceful and decorative.
foliage. Graceful and decorative. 12 to 15 in
15 to 18 in
2 to 21/4 ft 5.00
2 to 2½ ft
Variable de la contra del contra de la contra del la
Very bright, conspicuous, golden yellow. Grows more
slowly than preceding.
10 to 12 in
12 to 15 in
12 to 15 in
Forms a dense cone of fine texture. Useful for shearing
into formal shapes.
15 to 18 in 2.00 17.50
18 to 24 in. 3.00 27.50
2 to 2½ ft
3 to 3½ ft
———aurea, 20'-25' Goldenplume Cypress Golden form of preceding, and grows more slowly.
Golden form of preceding, and grows more slowly.
12 to 15 in
15 to 18 in
18 to 24 in
2½ to 3 ft 6.00
2½ to 3 ft
Forms a low broad governed bush bright vollow
tioned have ablate
tipped branchlets.
9 to 12 in
12 to 15 in
—squarrosa veitchi, 25′-30′ Veitch Moss Cypress
12 to 15 in
appearance. Broad pyramidal outline when young.
15 to 18 in
18 to 24 in
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 4.50
20

MANHEIM, PENNSYLVANIA.

Scientific Name Common Name	е
TAXUS baccata repandens, 18"-24" Spreading English Yev Spreading, horizontal branches, dark blue-green leaves	V
Valuable for low planting.	
Each per 10)
15 to 18 in	₩.
Rich, deep green leaves. Spreading, bushy habit. Valu	_
able in foundation plantings. Exceptionally hardy.	
capitata, 5'-10' Upright Japanese Yev	v
18 to 24 in	
18 to 24 in	3.7
Broad, thick leaves, blackish green. Slow growing and	ď
irregular, spreading habit. Exceptionally hardy.	
12 to 15 in	
THUJA occidentalis, 15'–30' Slender pyramid with broad base. Geoder pyramid with broad base. Geoder pyramid with a force hadron.	e
Slender pyramid with broad base. Bronzy winter coloring	·
Good accent plant or for a hedge. 12 to 18 in	
18 to 24 in	
2 to 3 ft	0
3 to 4 ft	Δ.
——compacta, $2\frac{1}{2}$ '—4' Almost globe-shaped. Bright green. Useful in formal of	r
Toundation planting.	
12 to 15 in. 2.00 17.5 15 to 18 in. 2.50 22.5	
18 to 24 in 3.50	•
- globes 216'-3' Globe Arborvita	e
Useful in formal work. Naturally globe-shaped. 10 to 12 in	0
12 to 15 in	
15 to 18 in	
——hoveyi, 3'-4' Hovey Arborvita Oval in shape, nearly as broad as high. Bright gree	e
foliage.	11
15 to 18 in	
18 to 24 in	۵
——lutea, 10′–15′ Geo. Peabody Arborvita Consistence golden yellow form. Columnar outline.	
12 to 13 in 1.50	
15 to 18 in	
2 to $2\frac{1}{2}$ ft	
— — plicata, 10'–20' Moss Arborvita	е
Rich, deep blue-green foliage. Short, stiff branchlets giv pleasing effect in light and shade. Formal pyramid.	е
2 to $2\frac{1}{2}$ ft	
2½ to 3 ft	
3 to 3½ ft. 5.00 — pyramidalis, 15′-30′ Pyramidal Arborvita Retains bright green coloring throughout winter. Narro	le.
Retains bright green coloring throughout winter. Narro	W
columnar shape; splendid for accents or formal planting.	
12 to 18 in. 1.25 10.0 18 to 24 in. 2.00 17.5	
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 3.00 27.5	0
$2\frac{1}{2}$ to $\frac{3}{2}$ ft. 4.00 37.5 3 to $\frac{3}{2}$ ft. 5.00	U
- rosenthali, 6'-10' Rosenthal Arborvita	ıe.
Dense, rugged, columnar form. Slow grower.	
12 to 15 in	
18 to 24 in	

Scientific Name Common Name ——umbraculifera, 2'-3' Umbrella Arborvitae Particularly good low mushroom-shaped form with rich green foliage.
Each Per 10 12 to 15 in. 2.00 15 to 18 in. 2.50 18 to 24 in. 3.00
appearance. 15 to 18 in. 2.00 18 to 24 in. 2.75 2 to $2\frac{1}{2}$ ft. 3.50 2-orientalis aurea nana, $2\frac{1}{2}$ -3'
Berckman's Golden Arborvitae A gem for dwarf planting; compact, roundish shape; warm golden yellow foliage. Especially good for formal work and edging. 6 to 8 in
8 to 10 in. 1.75 15.00 10 to 12 in. 2.00 17.50 12 to 15 in. 3.00 — conspicua, 7'-8' Goldspire Arborvitae
Golden yellow in spring, bronze yellow in winter. Distinctive. 2.50 15 to 18 in. 3.00 TSUGA canadensis, 75'-90' Canada Hemlock
Most graceful and adaptable, the spreading horizontal branches making effective shadow effects. Does well in shady or sunny locations.
18 to 24 in. 3.00 27.50 2 to 2½ ft. 4.00 37.50 2½ to 3 ft. 5.00 3 to 3½ ft. 7.00 4 to 5 ft. 10.00

BROAD LEAF EVERGREENS



Formal Garden-Umbrella Catalpa in background.

ABELIA grandiflora, 3'-4' Glossy Abelia
Choice small shrub, with white tinted lilac flowers, produced throughout the entire summer months.

Each Per 10 Per 100
3-inch pots ... S .70 \$6.00

Scientific Name	Common Name
AZALEA amoena, 3'-4'	
Conspicuous purple-red flowers, April-M	ay. Leaves turn
a rich, bronze-green in winter. Each	Per 10 Per 100
8 to 10 in	
10 to 12 in	
—hinodegiri, 3'—4' Larger leaves and looser growth than abo	aros formers recers
bright carmine-pink; effective in masses	or with Rhodo-
dendron.	or with renodo-
10 to 12 in	
10 to 12 in	Holly Barberry
Holly-like leaves, persisting until new	foliage appears;
flowers vellow. Semi-evergreen.	
15 to 18 in	70 4
—julianae, 4'–5' Wint	ergreen Barberry
Beautiful hardy variety, of compact gr	owth, with nice
glossy green foliage throughout the winter	•
3-inch pots	Boxwood
Useful for formal hedges. Specially desire	
individual specimens on lawns or in tubs.	ed for planting as
10 to 12 in	15.00
10 to 12 in	17.50
10 to 10 iii 2.00	22.50
18 to 24 in	
— suffruticosa, 3'-4'	True Dwarf Box
A very low growing variety, used for w	indow boxes and
edgings around beds of shrubbery or along	walks, etc.
3 to 4 in	1.25 10.00
6 to 8 in 75	6.50 50.00
3 to 4 in	7.50
COTONEASTER horizontalis, 1'-11/6'	Rock Cotoneaster
Small box-like leaves; bright red berries;	effective among
rocks.	
3-in. pots	
5-in. pots	n n 1
DAPHNE cneorum, 1	Rose Daphne
Gray-green foliage, low spreading. Pretty April-May. Delightful fragrance.	y pink flowers in
April-May. Dengittui iragrance.	
10 to 12 in 2 00	
3-in, pots	een Burninghush
Lustrous, deep green leaves: upright bus	hy habit: needs
winter protection here.	,,
15 to 18 in 1.50	
18 to 24 in	
—radicans vegetus, 3'-4' Bigle	af Wintercreeper
Bushy, interesting growth. Leaves round Bright scarlet fruits, freely produced. Evergreens. Also called Evergreen Bitters	ind, dull green.
Bright scarlet fruits, freely produced. F	landsome among
evergreens. Also called Evergreen Bitters	sweet.
15 to 18 in 75	
12 to 15 in	Japanese Holly
Box-like leaves, rich, deep green, and branching, makes a good hedge. Black bt	leathery. Stiff
branching, makes a good hedge. Black be	erries.
15 to 18 in	
18 to 24 in 4.00	
—glabra, 5′-6′	Inkberry
Shining, dark green leaves, purplish in berries. Useful for shady spots, also succe	winter; black
Derries. Useful for shady spots, also succe	eeas in sun.
12 to 15 in	American Helly
Does best in moist, partially shaded place.	American Holly Rather difficult
to transplant.	rather difficult
12 to 18 in	
·	

C *C NT	C. M
Scientific Name	Common Name
KALMIA latifolia, 5'-7'	Mountain Laurel
Most effective in June when the clusters of	f pink flowers open.
This stock is nursery grown. Good folia	age; like snade.
Eac Eac	ch Per 10 Per 100
12 to 15 in	00
LEUCOTHOE catesbaei, 3'-4'	Prooping Leucothoe
Attractive white flowers, May. Handso	me lustrous leaves,
rich autumn coloring. Splendid for unde	er planting in shade.
12 to 15 in	00
MAHONIA aquifolium, 4'-5'	regon Holly Grape
Shining green leaves, turn rich scarlet in	Autumn: striking
in May when yellow flowers appear; blue	-black fruits. Best
in half shade.	
12 to 15 in	00
PACHYSANDRA terminalis, 6''-8''	Japanese Spurge
One of the best bedding plants for gre	een effect in shady
places.	
2-in. pots	20 1.75 15.00
RHODODENDRON maximum, 8'-12'	
Rose	bay Rhododendron
Beautiful light pink flowers freely prod	uced in May-Lune.
Large handsome foliage, most effective i	n masses.
18 to 24 in	00
2 to 2½ ft	00
VINCA minor	Periwinkle
Very good ground cover.	1 CHWIIIKIE
3-in pote	20 175
3-in. pots	4 1.73
Long lance-like leaves. Tall flower spik	Adam's Needle
Long lance-like leaves. Tall nower spik	e grows up quickly
in June–July. Numerous creamy flower pearance give tropical effect. Useful for	ers and general ap-
pearance give tropical enect. Useful for	massing with either
evergreens or shrubbery.	
	50 4.00
3-year plants	50 4.00
3-year plants	50 4.00
ORNAMENTAL CLIMBI	
ORNAMENTAL CLIMBI	NG VINES
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Quick grower. ch Per 10 Per 100 35 3.00 Boston Lyv
ORNAMENTAL CLIMBIAMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. Ch Per 10 Per 100 Boston Ivy
ORNAMENTAL CLIMBIAMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. Ch Per 10 Per 100 South
ORNAMENTAL CLIMBIA AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 fttricuspidata (veitchi), 40'-50' Brilliant autumn coloring, blue berriclosely self clinging. Also called Japane 18 to 24 in	Virginia Creeper Quick grower. ch Per 10 Per 100 35 3.00 Boston Ivy es, turning black; ese Creeper. 75 6.00
ORNAMENTAL CLIMBIA AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Quick grower. ch Per 10 Per 100 35 3.00 Boston Ivy es, turning black; ese Creeper. 75 6.00
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Quick grower. ch Per 10 Per 100 35 3.00 Boston Ivy es, turning black; ese Creeper. 75 6.00
ORNAMENTAL CLIMBIA AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. Ch Per 10 Per 100 Source Boston Ivy es, turning black ese Creeper. 5 6.00 Dutchman's Pipe ape. Large heart-
ORNAMENTAL CLIMBIA AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. Ch Per 10 Per 100 Source Boston Ivy es, turning black ese Creeper. 5 6.00 Dutchman's Pipe ape. Large heart-
ORNAMENTAL CLIMBIA AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. Ch Per 10 Per 100 Source Boston Ivy es, turning black ese Creeper. To 6.00 Dutchman's Pipe ape. Large heart-
ORNAMENTAL CLIMBIA AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Quick grower. h Per 10 Per 100 35 3.00 Boston Ivy es, turning black; ese Creeper. 75 6.00 Dutchman's Pipe ape. Large heart-
ORNAMENTAL CLIMBIA AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft. —tricuspidata (veitchi), 40'-50' Brilliant autumn coloring, blue berriclosely self clinging. Also called Japan 18 to 24 in. ARISTOLOCHIA sipho Flowers are purple, of quaint pipe shishaped leaves. Good for porches. 2-year	Virginia Creeper Quick grower. ch Per 10 Per 100 35 3.00 Boston Ivy es, turning black ese Creeper. 75 6.00 Dutchman's Pipe ape. Large heart- 00 Trumpet Vine and orange, July.
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. h Per 10 Per 100 35 3.00 Boston Ivy es, turning black ese Creeper. 75 6.00 Dutchman's Pipe ape. Large heart- 00 Trumpet Vine and orange, July 50 4.00
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. h Per 10 Per 100 35 3.00 Boston Ivy es, turning black ese Creeper. 75 6.00 Dutchman's Pipe ape. Large heart- 00 Trumpet Vine and orange, July 50 4.00 nerican Bittersweet
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. h Per 10 Per 100 35 3.00 Boston Ivy es, turning black ese Creeper. 75 6.00 Dutchman's Pipe ape. Large heart- 00 Trumpet Vine and orange, July 50 4.00 nerican Bittersweet
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. Ch Per 10 Per 100 So Boston Ivy es, turning black; ese Creeper. To 6.00 Dutchman's Pipe ape. Large heart- Dutand orange, July. Trumpet Vine and orange, July. The second of the second orange, beart- Dutchman orange, July. Trumpet Vine and orange, July.
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Quick grower. Ouick grower. Ouic
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. Per 10 Per 100 35 3.00 Boston Ivy es, turning black; ese Creeper. 75 6.00 Dutchman's Pipe ape. Large heart- 00 Trumpet Vine and orange, July. 50 4.00 nerican Bittersweet d berries that retain .50 4.00 '-15'
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. Per 10 Per 100 35 3.00 Boston Ivy es, turning black; ese Creeper. 75 6.00 Dutchman's Pipe ape. Large heart- 00 Trumpet Vine and orange, July. 50 4.00 nerican Bittersweet d berries that retain .50 4.00 '-15' wn for bedding and
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. Per 10 Per 100 35 3.00 Boston Ivy es, turning black; ese Creeper. 75 6.00 Dutchman's Pipe ape. Large heart- 00 Trumpet Vine and orange, July. 50 4.00 nerican Bittersweet d berries that retain .50 4.00 '-15' wn for bedding and
ORNAMENTAL CLIMBIA AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. h Per 10 Per 100 35 3.00 Boston Ivy es, turning black; ese Creeper. 75 6.00 Dutchman's Pipe ape. Large heart- 00 Trumpet Vine and orange, July. 50 4.00 nerican Bittersweet d berries that retain .50 4.00 '-15' wn for bedding and
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. h Per 10 Per 100 35 3.00 Boston Ivy es, turning black; ese Creeper. 75 6.00 Dutchman's Pipe ape. Large heart- 00 Trumpet Vine and orange, July. 50 4.00 nerican Bittersweet d berries that retain .50 4.00 '-15' wn for bedding and
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. h Per 10 Per 100 35 3.00 Boston Ivy es, turning black; ese Creeper. 75 6.00 Dutchman's Pipe ape. Large heart- 00 Trumpet Vine and orange, July. 50 4.00 nerican Bittersweet d berries that retain .50 4.00 '-15' wn for bedding and
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower.
ORNAMENTAL CLIMBI AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn coloring Eac 2 to 3 ft	Virginia Creeper Ouick grower. Per 10 Per 100 35 3.00 Boston Ivy es, turning black; ese Creeper. To 6.00 Dutchman's Pipe ape. Large heart- Trumpet Vine and orange, July. 4.00 Merican Bittersweet d berries that retain 1.50 4.00 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1

Scientific Name —Paniculata, 20'-25' The flowers are of medium size, fragrant, pure white, borne in immense sheets in September.
Each Per 10 Per 100 2-year, first class
Clinging vine. 2-year
evergreens. Also called Evergreen Bittersweet. 9 to 12 in
2-year
2-year, first class
2-year
2 to 3 ft
America. Deep pink; excellent forcing variety. Brunhilde. Creamy white, shaded lilac Philadelphia. Queen Alexandra. Light pink; good for forcing. Each Per 10
2-year
A pretty species growing in compact tufts, not exceeding 8 inches high; flowers clear blue, held erect on wiry stems. It begins blooming in June, continuing until October. As an edging for a hardy border or for the rockery it is unsurpassed.
1-year

CANNAS

How to Make a Round Canna Bed

Plant 1 Canna in the center, 6 in the first circle, 12 in the second circle, then 18, 24, etc., according to the size of the bed, with the circles 18 inches apart, and the plants in the circle 18 inches apart. A bed 4 feet in diameter takes 7 Cannas; a 7-foot bed, 19 Cannas; a 10-foot bed, 37 Cannas; a 16-foot bed, 91 Cannas.

4 ft. Flower orange-scarlet, streaked crim-King Humbert. son. Foliage ebony. Its unusually handsome foliage, which is equaled by no other variety, makes this Canna as popular as is The President for its gorgeous flowers.

Scientific Name Salmon Queen. 5 ft. Very good bloomer, salmon color,
taller. The President. 4 ft. Far and away superior to any other scarlet Canna ever produced. This beauty, with its massive heads of glowing scarlet, is in a class by itself for brilliant effect and is used by practically every park superintendent who needs a vivid red in his plantings. Each Per 10
.15 1.25
CHRYSANTHEMUM Maximum, 2' Shasta Daisy White, July-Sept25 2.00
DELPHINIUM belladonna, 2½' Larkspur Light blue, June-Oct.
They are our best blue cut flower, are perfectly hardy and established plants produce a number of spikes, giving three crops during the season.
-bellamosum, 2'. June-Oct. Larkspur
A dark blue of the type of Belladonna with the color of the old Formosum variety, but not liable to mildew like the latter and of stronger growth.
1-year
DAHLIAS. Fine collection of named varieties
DIANTHUS barbatus, 1½' Sweet William Double flower, May-June.
.20 1.50
—Gertrude, 1', red25 2.00
—Her Majesty, 10". Very large purest double white.
—Plumarius, 1' Grass Pink Pink, purplish and white, fragrant flowers and on long spikes. For border or rock garden.
DICENTRA spectabilis, 2' Bleeding Heart
Pink and white, May-June80 7.50 DICTAMNUS albus, 2½'. White, June-July. Gas Plant The Dictamnus is one of the most satisfactory hardy plants in cultivation, both on account of splendid flowers and its right divisible folioge.
rich, durable foliage75 6.00
——ruber, 2½'. Rosy purple, June–July75 6.00
DIGITALIS purpurea gloxiniaeflora, 3'-4' Gloxinia Foxglove
.20 1.50
GYPSOPHYLLA paniculata, 2' Baby's Breath —Paniculata compacta. Compact white; fine for cutting and drying.
HIBISCUS (Mallow), 4' 20 1.50 Mallow Marvels
A robust type of upright habit, producing an abundance of
flowers of enormous size in all the richest shades of crimson, pink and white.
IRIS germanica, 1½'-3' German Iris
Assorted colors
Assorted colors
KNIPHOFIA pfitzeri (Tritoma), 2' Bonfire Torchlily
Rush-like foliage supports smooth thick flower stalks a yard long, with a single fiery cone at the top. Brilliant
scarlet, the opened lower petals rimmed with orange. July—September. Must be carefully protected or else carried
dormant in dry sand during winter.
.30 2.50

LEONTOPODIUM —Alpinum. A well-known Alpine with pretty whit small yellow flowers which are surrounded by st of leaves, clothed with a dense white, woolly A splendid plant for the rock garden. 4 to 5 in	e leave arlike l	lweiss es and heads
to August. LESPEDEZA formosa, 3'-4' Purple l Rosy purple flower conspicuous in Sept. Attra	ctive s	2.50 lover hrub.
LILIUM M: —Candidum. This is the old-fashioned garden L of the most beautiful. Ready in September on	.75 adonna ily, an ly.	6.00 Lily d one 2.00
	altese	Cross One
MYOSOTIS scorpioides True For		2.00 e-Not 2.00
PAEONIA —Edulis Superba. Soft pink, early.	.20 I	Peony
3 to 5 eyes. Best brilliant red, midseason.	.50	4.00
Festiva Maxima. The ideal white, carmine tip	.75 ped.	7.00
3 to 5 eyes	.50 on.	4.00
3 to 5 eyes. —Francois Ortegat. Semi-double, purplish crims 3 to 5 eyes. —Officinalis Rubra fl. pl. Very early double red.	.75	7.00
5 to 5 eyes	Iardy I ariched onal so oved as	with aking soon
——Elizabeth Campbell. Bright salmon-pink, shadings and dark red eye; one of the hand	.25 with li	2.00 ighter
most attractive ——Homeland. (Deutchland.) Large trusses	.35	3.00
dark orange-red flowers.	.35	3.00
——Jules Sandeau. Large, fine, very free-flow pink.		
— — Mrs. Milly van Hoboken. New. Soft pink, Large flowers on long erect spike.		
— Thor. A beautiful lively shade of deep s suffused and overlaid with a scarlet glow; has eye.	.25 almon- s anilir	2.00 -pink, ne-red
PHLOX Suffruticosa	.25	
— Miss Lingard. The best Phlox in cultivation. immense heads of beautiful white flowers in blooms again in September and October.	n June	e and
PHLOX Subulata	.25 Moss	2.00 Phlox
——Alba. Pure white.	.25	2.00
— — Lilacina. Light lilac.	25	2.00

Scientific Name Common Name PLATYCODON Balloon Flower -Grandiflora. Blue. 18 inches. June to October. Large, showy, deep blue flowers. Good for rock garden and

border. Each Per 10

.25 2.00

ROSES

The list we offer is not a large one but contains the "cream" of the ones that do well here.

Everblooming Roses

Hybrid Teas and Teas

Gruss an Teplitz. Everblooming scarlet crimson. A strong grower. The best everbloomer of its color.

Each Per 10 1.00

Jonkheer J. L. Mock. A new pink Rose from Holland; vigorous in growth and hardy, with long smooth canes and great freedom of bloom. Flowers are round and full, bright pink faced carmine.

1.00

Los Angeles. Flame pink. Buds long and pointed. Beautiful from the opening of the bud until the last petal drops. 1.00 Ophelia. Salmon-flesh, shaded rose. A Rose that is admired

by everyone. 8.50 1.00

Radiance. Lovely light silvery pink flowers, with beautiful suffusion of deeper color. It may be relied upon to produce flowers under all conditions.

8.50 1.00

Red Radiance. A deep red, with great globular flowers.
Blooms until frost.

Souv. de Claudius Pernet. Color a decided and unstained sunflower yellow, even deeper toned at center. Will not fade. Flower form is large and full, the buds long and pointed. Vigorous grower.

8.50 Frau Karl Druschki. Constant bloomer. Best white.

1.00 8.50

Climbers and Ramblers

Color red, same as the famous old American Beauty. Wonderfully free bloomer. Climbing American Beauty.

Dorothy Perkins. Rambler. In June and July this one produces immense trusses of delightful pink flowers. Hardiest of all roses.

.80 7.50Dr. W. Van Fleet. This is one of the most magnificent and showy roses of any class. Color a delicate shade of flesh pink on the outer surface, deepening to rosy flesh in the

center .80 7.50

Paul's Scarlet Climber. Midseason. The most brilliant vivid scarlet of any Rose grown. The color is intense and the flowers come in beautiful open cluster-heads with from 5 to 15 blooms, on very long strong stems. 7.50

INDEX		
Broad Leaf Evergreens Pages Climbing Vines 24 to 24 Evergreens 18 to 22 Fruit Trees 3 to 8 Hardy Perennial Plants 25 to 28 Hedge Plants 17 to 18 Ornamental Shrubs 12 to 17 Roses 28 to 29 Shade and Ornamental Trees 9 to 12 Small Fruits 8 to 9 Supplies 29		
SUNOCO SPRAY OIL		
50 gallons in drum @ 55c \$27.50 30 gallons in drum @ 65c 19.50 15 gallons in drum @ 75c 11.25 5 gallons in can @ \$1.00 5.00 1 gallon in can 1.25		
SHEEP MANURE		
5 Lbs. \$.25 10 Lbs. .45 25 Lbs. 1.00 50 Lbs. 1.50 100 Lbs. 2.50 Larger quantities, prices on application.		
PEAT MOSS		
Valuable for mulching and mixing with soil in ornamental plantings, gardens, lawns, etc. Splendid litter for poultry houses. Bale covers 240 square feet one inch deep. 1 Bushel \$.50 \frac{1}{2} Bale . 2.00 1 Bale . 3.50 Larger quantities, prices on application.		
SOIL		
Carefully selected top-soil rich in plant food. \$.50 100 Lbs. 2.00 1000 Lbs. 3.50 2000 Lbs. 6.00		

WOOD AND CONCRETE LAWN AND GARDEN FURNITURE

Lawn Benches, Bird Baths, Flower Boxes, Urns, Arbors, Trellises, Pergolas, etc.

Prices and illustrated folder upon request.

MEMORANDA

MEMORANDA

MEMORANDA

SUCCESSFUL PLANTING AND CARE OF STOCK

CARE

The bundles should be opened immediately, the roots dipped in water, then heeled in moist ground so that the mellow earth will come in contact with the roots and thoroughly protect them from the air, having the earth tramped solid about them.

When ready to plant, take up only a few at a time, puddle the roots and do not allow them to lie exposed to the sun or air.

The ground should be carefully prepared by deep plowing and firming down with a disc and harrow.

PLANTING

The holes for planting must be large enough to receive the roots freely, without cramping or bending them from their natural position. All broken or mutilated portions of the roots must be cut off so as to leave the ends smooth and sound. All trees should be planted two or three inches deeper than they stood in the nursery row; pack the soil very firmly about the roots by tamping with the feet or post tamper, being careful not to bark or break the roots. Leave three inches of the surface soil loose to serve as a mulch. If the ground is very dry, apply one to two pails of water before this soil mulch is in place, and after the water has soaked away it can then be placed over the moist soil.

NUMBER OF TREES OR PLANTS TO THE ACRE

40 feet apart each way	28
30 feet apart each way	48
	110
18 feet apart each way	135
15 feet apart each way	205
12 feet apart each way	300
10 feet apart each way	435
8 feet apart each way	680
6 feet apart each way	210
5 feet apart each way	745
4 feet apart each way 2,	725
3 feet apart each way	840

Rule—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant, which, divided into the number of square feet in an acre (43,560), will give the number of plants or trees to the acre.

SUITABLE DISTANCE FOR PLANTING

Apples—30 to 40 feet apart each way. Standard Pears and Cherries—20 feet apart each way. Plums, Peaches and Apricots—16 to 18 feet apart each way. Dwarf Pears and Quinces—10 to 12 feet apart each way. Grapes—rows of 10 to 16 feet apart; 7 to 10 feet in rows. Currants and Gooseberries—4 feet apart. Raspberries and Blackberries—3 to 4 by 5 to 7 feet. Strawberries, for field culture—1 by 3 to 3½ feet. Strawberries, for garden culture—1 to 2 feet apart. Asparagus, for field culture—18 to 24 inches by 3½ to 4 feet. Asparagus, for garden culture—18 to 24 inches apart each way.

